

HDPE Pipe | Sprinkler Pipe | PVC Pipe | Garden Pipe | Suction Pipe | LDPE Pipe | Braided Pipe | RRJ Repair Coupler | Rain Pipe







HDPE Pipe

Features and Benefits

- Materials Grades PE 63, PE 80, PE 100 Portable water supply
- Light in weight and long life
- Excellent Flexible and strength
- No scales build up
- Safe for portable water supply

Applications

- Lift & Gravity Irrigation Systems
- Compressed air lines
- Pump suction & delivery pipes
- Drip & sprinkler irrigation systems
- Marine & underwater pipeline



Color

HDPE Coil

Features and Benefits

- Materials Grades PE 63, PE 80, PE 100
- No effect of UV radiation
- Light in weight and long life
- Excellent flexibility and strength
- Safe for portable water supply

Applications

- Portable water supply
- Lift & Gravity Irrigation Systems
- Compressed air lines
- Pump suction & delivery pipes
- Use for long Distance Pipeline



Color

Sprinkler Irrigation System

Features and Benefits

- Full circle impact sprinkler
- Brass range nozzle for precise
- water jet and large radius coverage No effect of U V radiation
- Light in weight and long life
- Wide impact area increases level life

Applications

Sprinkler Irrigation System is suitable for almost all field crops like Groundnut, Sugarcane Wheat, Pulses, Vegetables, cotton soybean, tea, coffee and fodder crops

Sprinkler Pipe Fittings

Coupler (KP) Fusion Coupler (KP) Tail (KP) Fusion Coupler(C) Tail (C) Tail Coupler(JN) Coupler Fusion Tail (C) Fusion Tail (JN) Coupler(JN) Fusion Tail (JN) Fusion END Cap (KP) END Cap (C) END Cap (C)(JN Tee Bare **Tell Piss Bend Bare** Tee (C)(JN Bend(C)(JN) Tee (C) Bend(KP) Tee(KP) Bend (C) Four Way Adoper (C) Adoper (C) (JN) Adoper (C) Heavy **Foot Bottom** Nipple(O.T) Nipple(O.T) **Three Way** Coupler PCN Coupler PCN Coupler PCN Coupler PCN **Group Nipple** Nipple(O.T.) MS (c) OT (KP) OT (KP)IT (c) IT Coupler PCN **Tell PCN** Tell PCN Coupler PCN **Tell PCN Tell PCN** (C) (JN) OT (c) OT (KP) IT (C) (JN) IT (c) OT (C) IT Tell PCN Tell PCN Connctor Connctor(JN) TO **Bear Redusar** Redusar EPC TO (JN) (C)(JN) IT (C)(JN) OT EPC (JN) KP ConnctorKP TO Tell To Tell **Rain Connector** Beand PCN O.T Beand PCN I.T Rubber Ring EPC (JN) KP JN) KP TO EPC EPC (JN) KP EPC (JN) KP EPC NT (JN) KP Super Commercial 00 **Rubber Ring Caller** W Nozzle **PVC Nozzle** Super Commercial **Brass Nozzle** Heater 3/4 & 1/2 **Control Box Heater Coil Raiser Pipe** Latch Clamp Ribit C. Clamp 2.2







PVC Pipe

Features and Benefits

- High flow characteristics
- >> Light in weight and long life
- >> Easy to handle and transport
- Crafted from premium PVC raw material
- Durable against corrosion, chemicals

Applications

- > For water supply
- Lift irrigation system
- Drip irrigation system



Garden Pipe

Features and Benefits

- >> High Quality PVC garden Pipe
- Excellent flexibility and strength
- Meets global quality standards
- Safe for portable water supply
- Pure, clear material for smooth pipes



- Garden Pipes for watering
- Ideal for outdoor cleaningVehicles, Equipment, Buildings



Size (Inches)	Weight/Quantity	Pipe Type
1/2" to 1"	4.2 kg to 8 kg	Milky / D. D. / Halwa
1/2" to 1"	4.2 kg to 8 kg	Zebra / TCP / 50-50
1/2" to 1"	6 kg to 8 kg	Special / Foam
3/4" to 1"	5 kg to 8 kg	Black Pipe
3/4" to 1"	5 kg to 8 kg	D.D. Color Black









PVC Suction Hose Pipe

Features and Benefits

- Durable for longevity
- > Easy to install or handle
- > Efficient flow, lower electricity costs
- Crafted from premium PVC raw material
- » Non-corrosive, anti-rust, anti-clogging for clean water

Applications

- >> For domestic, agriculture Use
- Lift irrigation system
- >> Perfect for monoblock
- suction delivery

HEAVY DUTY Suction Hose Pipe

Size (MM)	Size (Inch)	Weight Approx
50	2"	22
63	2.5"	30
75	3"	41
80	4"	72

Color: Blue / Green

Std. Lenght: 30 mtr

Calan				
Color				

BLJ Premium (SUPER) Suction Hose Pipe


Size (MM)	Size (Inch)	Weight Approx
20	3/4"	5.5
25	1"	6.5
32	1.25"	11
38	1.5"	12
50	2"	18
63	2.5"	27
75	3"	37
80	4"	62

Color: Blue / Green

Commercial (Regular) Suction Hose Pipe

Size (MM)	Size (Inch)	Weight Approx
20	3/4"	5.2
25	1"	6.2
32	1.25"	11
38	1.5"	12
50	2"	16
63	2.5"	22
75	3"	32
80	4"	57

Color: Green



UPVC Pipe

Features and Benefits

- Durable even in low temperatures
- Quick install, labor-saving, long-lasting
- Non-combustible, self-extinguishing
- Crafted from premium PVC raw material
- > Lead-free for safe drinking water

Applications

- RO & DM water plants
- Suitable for residential commercial, and public use







Braided Hose Pipe

Features and Benefits

- Durable braided yarn for pressure resistance
- Transparent design for internal observation
- >> Chemical, alkalies, acids, and oil resistance
- Versatile options for diverse field applications
- All-weather durability exceeds rubber counterparts >> Industrial

Applications

- » Air/Pneumatic
- > Rock Drilling
- Car Wash
- Super Spray





Size (mm)	Wall Thickness (mm)	Working Pressure@30°C kg/cm2	Standard Length (mtr)
12	2	7	30/50/100
20	2.5	7	30/50/100
25	3	5	30/50/100









LDPE Pipe / Krishi Pipe

Features and Benefits

- >> Water supply for orchards, agriculture
- Discharge to distant delivery points
- Suitable for irrigation
- Agriculture & farming application
- Lead-free for safe drinking water

PREMIUM

CONTROL CONTRO		
Weight (KG)		
6		
8		
10		
14		
18		
20		

GOLD

SIZE (Inch)	Weight (KG)	
2"	5	
2.5"	6	
3"	8	
4"	18	

Std. Length (Mtr): 120 Std. Length (Feet): 400

Std. Length (Mtr): 61 Std. Length (Feet): 200







Rain Pipe

Features and Benefits

- High-Pressure Bearing Capacity
- Laser Punched Holes
- No Clogging Problem
- Patented Technology
- Smart irrigation system

Applications

Rain pipe is suitable for closely spaced crops onion, vegetable crops, leafy vegetables, groundnut, etc.



Technical Specifications

SIZE(MM)	SIZE(Inch)	APPROX Weight (Kg)
32	1	3
40	1.25"	3.5
50	1.50"	4.2
63	2"	5

Color: Blue / Green



RRJ Repair Coupler

Features and Benefits


- Crafted from premium PVC
- High flow characteristics
- Light in weight and long life
- Agriculture & farming application
- Very less frictional losses

Technical Specifications

SIZE	Std.Length	Std. Packing
(Inch)	(Aprx. In mm)	Per Bag
2"	470	40
2.5"	470	25
2.5"	505	20
4"	550	10
	(Inch) 2" 2.5"	(Inch) (Aprx. In mm) 2" 470 2.5" 470 2.5" 505

Features and Benefits

- > Installation of Drip Irrigation / Water Distribution
- Agriculture, Plumbing







बि. एल. जे पाईप की गुणवत्तापूर्ण प्रोडक्टस

LDPE Pipe | PVC Pipe | HDPE Pipe | PVC Suction Pipe | Rain Pipe Braided Pipe | Garden Pipe | Suction Pipe | RRJ Repair Coupler

शेतीची मिटेल चिंता बि:एल:जे.पाईपघरीआणता





B-98, Additional MIDC Harangul (BK) Latur - 41351



8181814451 / 8484848240



Customercare@balajipipe.in



www.bljpipes.com



BLJ GROUP (a) bljpipes





an For Contact Details

